

Product/Process Change Notice - PCN 22_0226 Rev. -

Analog Devices, Inc. One Analog Way, Wilmington, MA 01887, USA

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

PCN Title: ADRF5024 Data Sheet Revision

Publication Date: 03-Oct-2022

Effectivity Date: 03-Oct-2022 (the earliest date that a customer could expect to receive changed material)

Revision Description:

Initial Release.

Description Of Change:

Data Sheet Revision for ADRF5024:

- 1. Recommended power handling for 'Input at RFx' case added to Table 1.
- 2. AMR power handling for 'Input at RFx' case added to Table 2.
- 3. Power derating curve for low frequency (Figure 2) updated.

Reason For Change:

Values corrected to reflect actual recommendation and part performance.

Impact of the change (positive or negative) on fit, form, function & reliability:

No change to fit, form, function, or reliability.

Summary of Supporting Information:

Changes will be reflected in Rev. D of the Product Data Sheet. See attached data sheet comparison detail.

Supporting Documents

Attachment 1: Type: Datasheet Specification Comparison

ADI_PCN_22_0226_Rev_-_ADRF5024_Data Sheet Comparison.pdf

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.					
Americas:	Europe:	Japan:	Rest of Asia:		
PCN_Americas@analog.com	PCN_Europe@analog.com	PCN_Japan@analog.com	PCN_ROA@analog.com		

Appendix A - Affected ADI Models					
Added Parts On This Revision - Product Family / Model Number (2)					
ADRF5024 / ADRF5024BCCZN	ADRF5024 / ADRF5024BCCZN-R7				

Appendix B - Revision History					
Rev	Publish Date	Effectivity Date	Rev Description		
Rev	03-Oct-2022	03-Oct-2022	Initial Release.		

Analog Devices, Inc.

DocId:9022 Parent DocId:None Layout Rev:8